

LATCH MONO

01

02

03


04

05



One cell.
Two states.

The drawing.



STYLE

Medium

VERSION

0.101

GLYPHS

410

ENCODED CHARACTERS

292

UNITS PER EM

1000

CAP HEIGHT

700

X-HEIGHT

500

ADVANCE

640 / fixed

A monospaced stencil with a repeated vertical seam through its bowls. Squared curves meet softer shoulders. Solid alternates close the breaks without moving the line.

01 / 640-unit cells

03 / Connected slashed zero

02 / 76-unit central seam

04 / Solid alternate / ss01

Every character.

Uppercase, lowercase, figures, punctuation and precomposed Latin accents.

!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/	0	1	2
3	4	5	6	7	8	9	:	;	<	=	>	?	@	A	B	C	D
E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
W	X	Y	Z	[	\	]	^	_	`	a	b	c	d	e	f	g	h
i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
{		}	~	ı	£	¥	«	°	·	»	¿	À	Á	Â	Ã	Ä	Å
Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×
Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	à	á	â	ã	ä	å	æ	ç	è	é
ê	ë	ì	í	î	ï	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü
ý	þ	ÿ	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Ċ	ċ	Č	č	Ď
đ	Ē	ē	Ě	ě	Ė	ė	Ę	ę	Ď	ď	Ĝ	ĝ	Ğ	ğ	Ġ	ġ	Ģ
g	Ĥ	ĥ	Ĩ	ĩ	Ī	ī	Ĳ	ķ	Ĵ	ĵ	Ķ	ķ	Ĵ	ĵ	Ķ	ķ	Ł
ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł
Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ
Ŧ	Ţ	ţ	Ũ	ũ	Ū	ū	Ů	ů	Ű	ű	Ų	ų	Ŵ	ŵ	Ŷ	ŷ	Ź
ž	Ž	ž	Ž	ž	Ž	ž	—	—	‘	’	“	”	▪	...	◀	▶	
€	—																

290 visible encoded characters / spaces omitted from this chart

A change of scale.

144 PT

Latch

96 PT

Quiet forms

72 PT

Signal & noise.

48 PT

Signal & noise. Open

36 PT

Signal & noise. Open circuit.

24 PT

Signal & noise. Open circuit.

18 PT

Signal & noise. Open circuit.

12 PT

Signal & noise. Open circuit.

OPEN
CIRCUIT
SIGNAL
& NOISE
REPEAT

CELL 01
640/1000
ON / OFF

CELL 02
640/1000
ON / OFF

CELL 03
640/1000
ON / OFF

Up close .

ø

o / U+0030

640 UNITS

ä

a / U+0061

640 UNITS

ë

e / U+0065

640 UNITS

rn

m / U+006D

640 UNITS

B

B / U+0042

640 UNITS

R

R / U+0052

640 UNITS

AN IMAGINED OPEN LABORATORY

OPEN LAB
ROOM 04

01

ASSEMBLY
READY

02

TESTING
READY

03

ARCHIVE
READY

IMAGINED APPLICATION / TYPE, LAYOUT AND GRAPHIC FORMS